

COMPLICE

Burglary Protection Solution

CASH SAFES



Certified Burglary-Resistance

- EN 1143-1, Grade 0 (ECB•S)
- A2P (CNPP)



COMPLICE

Burglary Protection Solution

To protect personal valuables and important documents, Fichet-Bauche has designed the Complice range of security safes for the home and office.

Did you know?

The locks used on safes must also be certified to ensure that the safe maintains the correct level of burglary protection

Product Overview

Complice is available in four sizes, from 10 up to 80 litres, as either a free-standing or in-the-wall safe. As an option, the safes can be ordered with a slot above the door for the quick and easy deposit of documents or envelopes into the safe without having to open the door.

The safe's door and hinges have been ergonomically designed and have undergone repetitive operational tests to ensure their durability. With a wide range of fittings available, Complice's interior storage space can be used to the full.

Burglary Protection

Complice has been awarded the A2P label by CNPP (National Centre for Prevention and Protection) and has been certified by ECB•S for Grade 0 burglary resistance in accordance with the European standard, EN 1143-1. This corresponds to an insurable value of €8000.

Locks

Complice safes have been designed to be equipped with Fichet-Bauche's patented mechanical and electronic locks. All the locks are A2P/EN 1300 certified.

MxB – level B/E – is a high-security mechanical lock. Due to the innovative shape and design of the key, over 10 million different possible keys can be manufactured, making replication extremely difficult. For added security, a blocking system prevents the key from being removed until the door has been properly locked.

The Nectra electronic lock – level B/E – generates more than 110 million different code combinations and offers several levels of functionality. The standard version has 1 master code and 7 user codes, wrong-code blocking, time delay and a duress alarm. This can be upgraded with the audit trail function (which records up to 500 events) and a biometric fingerprint reader.


SINGLE LOCKS

MxB, Nectra

LOCK COMBINATIONS

MxB + MxB

MxB + Nectra




MxB key



Nectra



Optional deposit slot



Interior fittings (from top left): Shelf, extensible shelf, extensible frame for hanging files, lockable compartment, A5 file clip.

Interior Fittings

- Complice can be fitted with a shelf with enough space for a laptop.
- The Complice 80 can be fitted with a lockable compartment for extra security.
- The extensible frame for hanging files is the ideal solution for organising payroll slips, tax papers and other business documents. The two larger safes in the range, 40 and 80, can be delivered with a slot in the top of the door for the secure and simple depositing of documents or money. This is designed with an anti-retrieval system to prevent any deposits being fished back out via the slot.

Fichet-Bauche Technology

Complice derives its strength from double-thickness, sheet steel walls, a reinforced 87mm door and a specially designed, extra-tough mineral composite. The safe is locked by a single thick steel bolt running the height of the door. When subjected to attack by mechanical or thermal tools, the lock is completely blocked by a relocking mechanism.

As an option, Complice can be connected to your alarm system so that a warning will sound if the safe door is accidentally left open.

Burglary Testing Procedure

In order to obtain the EN 1143-1 classification, Complice has been subjected to a series of stringent break-in tests using a variety of tools.

Test Verification

Once tested, products are analysed by the test laboratory in order to verify that they correspond to the technical drawings delivered prior to the test.







Complice is suitable for the home and can be mounted into a wall (left) or installed as a free-standing safe (above).

Fichet-Bauche Guarantee

Fichet-Bauche products are designed and manufactured in accordance with the ISO 9001 standard for Quality Management Systems and ISO 14000 for Environmental Management Systems. All Complice safe components are tested by the Fichet-Bauche laboratory in compliance with the current European standards.

COMPLICE

Technical Specifications



FBGB.6008R3

Dimensions (mm)	COMPLICE 10		COMPLICE 20		COMPLICE 40		COMPLICE 80
	Free-Standing	In-Wall	Free-Standing	In-Wall	Free-Standing	In-Wall	Free-Standing
External height	360	360	360	360	500	500	630
External width	455	455	455	455	455	455	555
External depth	275	234	355	314	435	394	465
External width (door open 180°)	840	840	840	840	840	840	840
External depth (door open 90°)	685	644	765	724	845	804	975
Internal height	260	260	260	260	400	400	530
Internal width	360	360	360	360	360	360	460
Internal depth	140	140	220	220	300	300	330
Interior capacity (litres)	13	13	21	21	43	43	80
Weight (kg)	57	27	66	32	94	45	138

Fittings and options	COMPLICE 10		COMPLICE 20		COMPLICE 40		COMPLICE 80
	Free-Standing	In-Wall	Free-Standing	In-Wall	Free-Standing	In-Wall	Free-Standing
Shelf	2	-	2	-	5	-	7
Shelf with hidden compartment	-	-	-	-	-	-	4
Extensible shelf	-	-	-	-	-	-	4
Extensible frame for hanging files	-	-	-	-	-	-	1
Lockable compartment	-	-	-	-	-	-	3
A5 file clip	1	-	-	-	-	-	-